

OF A PEN TEST

Understanding the [Mindset | Toolset] of Penetration Testers






OF A PEN TEST VI \rightarrow

Poppin' Boxes Like a Pro



Alijohn Ghassemlouei

- Handle == [PushPin | Revolver]
- DEF CON Attendee DCI5 Present
- U.S. Department of Energy Contractor A few years³
- Co authored "The Hacker's Guide to OS X" Kinda neat
- U.S. Department of State Contractor For a bit
- Sony PlayStation Now




Reality Check | Disclaimers

- Hacking in movies != Reality
- Running scripts != [Hacker | Pentester | Programmer]
 - Understanding core technologies are crucial
 - Overnight penetration tester? Hell no.
 - Developing and refining your skill set takes time
 - Documentation & boring stuff? Unfortunately, yes
 - Set expectations and common terminology early





Audience | Query



What is your definition of a penetration test?

Audience | Query



Considerations | Penetration Testing

A penetration test is a method of evaluating the security controls of an asset, system, or network through the emulation of malicious or unauthorized actors with limited knowledge.

This is achieved by demonstrating the execution of the objective at a technical level which should improve the effectiveness and efficiency of the existing security controls in place.¹




Considerations | Penetration Testing

security is not a state, nor a product, it is an ongoing process



Considerations | Penetration Testing

a snapshot of an asset in a specific state at a specific time






- Vulnerability Assessment [2 to 4 weeks]
- Penetration Test [2 to 6 weeks]
 - Partial stakeholder assistance via trusted agent, partial site notification, larger scope
- Red Team Assessment [4 24 months]
 - Limited stakeholder assistance, no site information, largest scope

Assessment Types | General Information

• Complete stakeholder assistance, credentialed scans, interviews, in-depth review, narrow scope





Audience | Vote




Audience | Vote


IN HOUSE or EXTERNAL




INDEPENDENT OVERSIGHT / THIRD PARTY / EXTERNAL ENT-TITTY




Placement | Penetration Testing





Placement | Penetration Testing

IN-HOUSE



Audience | Query

intelligent assholes

or

somewhat slightly less skilled but personable



Technical Team Members | General Information

Knowledge

Past Experience

Presentation Mindset Personality **Detail Oriented** Communication Attire Driven Writing Ability Creativity Lazy Observant Cheeky Meticulous Always willing to learn Knowing when to quit


Tool Usage

Methodologies

General Technical Knowledge

Credentials

Identification of true vulnerabilities Prioritization of identified vulnerabilities





Objective


To enhance and improve the state of security throughout the organization through high profile and impactful assessments.

Yes, seriously.





Audience | Query



Why is it important to scope your assessments properly?

Audience | Query



Scoping | Super Important General Information

Overall significance of system / site / asset Impact analysis [political, economic] Ability to determine target value [crown jewels]



Scoping | Super Important General Information

- Location & size
 - Access
 - Difficulty
- Available Resources
 - Expectations
 - Timeline
 - Broad strategy*



Scoping | Super Important General Information





	Reconnaissance Attack		Reporting	
S1	Scanning, site profile generation, and service detection with manual verification of potential vulnerabilities via exploitation.	Manual exploitation, establish foothold, migrate laterally, and complete objective.	Vulnerability scanning begins, web application scans begin.	Collect team notes and begin writing report.
S2	Review network layout, firewall configs, and gpo's.	see above	see above	Collect team notes and continue writing report.
S3	Interview administrators and responsible parties.	Continue exercise if objective has not been completed, otherwise begin testing site response capability.		Begin writing up finding and opportunities for improvement.
S4				Allow team lead to revie notes, generate report, and send to manageme

Timeline | Hybrid Assessment



Rhetorical Question [STFU] | Query






Rhetorical Question [STFU] | Query

How do we ensure that we are consistent with our assessments? Should we just have a checklist?

Why not just script out the entire engagement?



- Resource Allocation*
 - Two to four warm bodies for penetration testing and vulnerability assessment
 - Five to six somewhat warm bodies for red team assessments
- Communication
 - Store data centrally
 - Communicate often [speaking | irc | private messaging]
 - Shared space for improved cohesion
 - Take notes as assessment occurs with daily synopsis^{II}
 - Team member rotation to improve shared skillset / methodologies
 - Rules of Engagement

Process | Assessment Tips



- General Unix/Linux/Windows Binaries
 - nc, sed, awk, wc, vi,
 - tcpdump, grep, cut
 - net, dig, cat
- Nmap
- Nessus Professional Feed²
- Metasploit Framework
- Netsparker
- Solar Winds Engineers Toolkit
- VMWare Fusion
- IDA Pro
- AppDetective

Software Tools | General Information

nsock_ssl.c:172: warning: 'SSL_CTX_ctrl' is deprecated (declared at /usr/include/openssl/ssl.h:: nsock_ssluc:173: warning: 'SSL_CTX_set_cipher_list' is deprecated (declared at /usr/include/open nsock_ssl.c:175: warning: 'ERR_error_string' is deprecated (declared at /usr/include/openssl/er nsock_ssluc:175: warning: 'ERR_get_error' is deprecated (declared at /usr/include/openssl/err.h nsock_ssl.c: In function 'nsi_ssl_post_connect_verify': nsock_ssl.c:195: warning: 'SSL_get_verify_mode' is deprecated (declared at /usr/include/openssl, nsock_ssl.c:198: warning: 'SSL_get_peer_certificate' is deprecated (declared at /usr/include/ope nsock_ssluc:205: warning: 'SSL_get_verify_result' is deprecated (declared at /usr/include/opens gcc _c _loo//ow/nbase _DHAVE_CONFIG_H _DNSOCK_VERSION=\"0.02\" _D_FORTIFY_SOURCE=2 _I../include gcc_-c_+I.../nbase_-DHAVE_CONFIGLH_-DNSOCK_VERSION=\"0.02\" -D_FORTIFY_SOURCE=2 -I.../include nsock_pool.c:270: warning: 'SSL_CTX_free' is deprecated (declared at /usr/include/openssl/ssl.h gcc _c _l../nbase _DHAVE_CONFIG_H _DNSOCK_VERSION=\"0.02\" _D_FORTIFY_SOURCE=2 _I../include gcc_-c_+I.../.w/nbase_-DHAVE_CONFIG_H_-DNSOCK_VERSION=\"0.02\"_-D_FORTIFY_SOURCE=2_-I.../include gcc _c _l../.nbase _DHAVE_CONFIG_H _DNSOCK_VERSION=\"0.02\" _D_FORTIFY_SOURCE=2 _I../include gcc -c +1.../nbase -DHAVE_CONFIGLH -DNSOCK_VERSION=\"0.02\"-D_FORTIFY_SOURCE=2 -1.../include gcc -c -l.././nbase -DHAVE_CONFIG_H -DNSOCK_VERSION=\"0.02\" -D_FORTIFY_SOURCE=2 -I../include Dibnsock.qG_H_I. _02 -MT pore_valid_utf8.0 -MD -MF .deps/pore_valid_utf8.Tpo ar cr libnsock.a error.o filespace.o gh_list.o nsock_connect.o nsock_core.o nsock_iod.o nsock_r ine_select.orengine_epoll.o _02 -MT pore_version.o -MD -MP -MF .deps/pore_version.Tpo -o -o p /usr/bin/ranlib: file: libnsock.a(engine_epoll.o) has no symbols -D2 -MT pore_xolass.o -MD -MP -MF .deps/pore_xolass.Tpo -c -o pore ranlib: file: libnsock.a(engine_epoll.o) has no symbols ranlib Libnsock.a G_H -I . -O2 -MT pore_chartables.o -MD -MP -MF .deps/pore_chartables.Tpo cd neat && make Makefile:180: makefile.dep: No such file or directory gec _MM [b=DHAVE_CONFIG_H -DNCAT_DATADIR="\"/usr/local/share/ncat\"" -D_FORTIFY_SOURCE=2 -I. -I. ssi.c base64.c http.c util.c sys_wrap.c http_digest.c > makefile.dep.xec.c pore_fullinfo.c



Virtual Machines | General Information

- Host Operating System
 - OS X General Unix Tools & Some Attack Software
- VMware Fusion¹
 - Ubuntu VM General Linux Use Image
 - Windows VM General Windows Use & Attack Image
 - Kali VM Linux Attack Image




Hardware Tools | General Information

- Macbook Pro Notebook
- External HDD
- Alfa Wireless Card
- Mac Minis
- Gigabit Switch
- Legitimate Hub/Tap
- Beefy Notebook
 - Spare Hard Drive




Hardware Tools | General Information

Understanding how to use a tool does not make you a skilled penetration tester




a hacker mindset is required

Hardware Tools | General Information




10,000 ft, oral, technical walkthrough of an attack

Poppin' the Truth | Boxes be Dropping



Poppin' the Truth | Boxes be Dropping

clear, condensed, overarching strategy/methodology



Potential Attack Avenues

Social Engineering Web Drive By Misconfiguration² Remote Exploitation Lateral Migration Zero Day Custom Malware



Goals Locate & exfiltrate sensitive organization information

Stages


0 - Reconnaissance
1 - Phishing
2 - Exploitation
3 - Privilege Escalation
4 - Lateral Migration
5 - Data Exfiltration
6 -Tasteful Communication of Findings

Outline | Walkthrough





Audience | Query



How do you exfiltrate all your hard work?

Audience | Query




Exfiltration* | Possibilities

SCP / FTP / HTTPS DNS CUSTOM



Technical demonstration of findings are crucial


Exfiltration* | Possibilities



Walkthrough | Disappointing Example

Allowed Use of Ingress Lack o Shared Loca Misconfigure Lack of Network R

- Allowed Use of Ingress Email with HTML Formatting
 - Lack of User Training
 - Shared Local Admin Credentials
 - Misconfigured Windows System¹
 - Lack of Network Restriction & Segmentation^{II}
 - Lack of Antivirus or HIDS




- Re-identify system/site value
 - Access / Data / Services Provided
- Outline the assessment and findings as the week progressed
 - Identify issues and elaborate as to why it is important and relevant
- Recommend realistic potential mitigations and why it is important
 - Do not suggest tools

Reporting



Noteworthy Individuals | Thank You

This community is incredible and without the wisdom, guidance, and support of these individuals I would not be where I am today.



Russr Wiseacre Highwiz Xaphan


Noteworthy Individuals | Thank You



Mexican Machine

Roamer

Family & Mom



EMAIL pushpin@logicode-networking.com WEBSITE logicode-networking.com BLOG blog.logicode-networking.com LINKEDIN linkedin.com/in/alijohnghassemlouei

Contact Information

